

GENOS



Genos	
N. TASTI	76
TIPO TASTIERA	ORGAN FSX, INITIAL TOUCH, AFTERTOUC
JOYSTICK	YES
CONTROL KNOBS	6 Live Control knobs (Assignable)
SLIDERS	9 Live Control sliders (Assignable), Cross Fader
ARTICULATION SWITCHES	3
DISPLAY	Main Display : TFT Color Wide VGA LCD 800 x 480 dots Sub Display: OLED (Live Control view) 589 x 48 dots
TONE GENERATOR	AWM Stereo Sampling, AEM technology
POLIFONIA	256 (max.) (128 for Preset Voice + 128 for Expansion Voice)
N. VOICES	1,652 Voices + 58 Drum/SFX Kits
PART VOICES	Right 1, Right 2, Right 3, Left
MEMORIA DI ESPANSIONE	YES - 3.0 GB
MEMORIA INTERNA	58 GB
N. PRESET STYLES	550 Style File Format (SFF), Style File Format GE (SFF GE)
FINGERING	Single Finger, Fingered, Fingered On Bass, Multi Finger, AI Fingered, Full Keyboard, AI Full Keyboard
STYLE CONTROL	INTRO x 3, MAIN VARIATION x 4, FILL x 4, BREAK, ENDING x 3
O.T.S.	4 X OGNI STYLE
CHORD LOOPER	YES
STYLE SECTION RESET	YES
MULTIPAD	448 BANKS X 4 PADS
AUDIO LINK	YES
MULTIPAD CREATOR	YES

STYLE CREATOR	YES
SONG CREATOR	YES
SONG MIDI	QUICK/MULTI/STEP 16vTRACCE
AUDIO REC	WAV
AUDIO PLAY	WAV/MP3
TIME STRETCH	YES
PITCH SHIFT	"
VOCAL CANCEL	"
VOCAL HARMONY	YES Vocal Harmony: 54 Synth Vocoder: 20
REGISTRATION MEMORY	10 BUTTONS X BANK
PLAYLIST	2,500 (max.) Records per Playlist file
SCORE/LYRICS/TEXT DISPLAY FUNCTION	YES
EFFETTI	REVERB - 59 PREST - 30 USER CHORUS - 107 PRESET - 30 USER MASTER COMPRESSOR - 5 PRESET - 30 USER MASTER EQ - 5 PRESET - 30 USER PART EQ - 28 PARTS
DSP	DSP - 358 PRESET (con VCM) - 30 USER Insertion 1-28: 358 Preset(with VCM) + 30 User
HARMONY/ECHO	YES
ARPEGGI	"
PANEL SUSTAIN	"
MONO/POLY	"
METRONOMO	YES
TRANSPOSE	YES
OCTAVE BUTTON	YES
DIRECT ACCESS	YES
SCALE TYPE	9 TYPES
SUB SCALE SETTING	YES
HEADPHONES	Standard stereo phone jack
FOOT PEDAL	1 (SUSTAIN), 2 (ART.1), 3 (VOLUME), Function assignable
MICROFONO	Yes (Combo Jack) , Phantom Power (+48V) available
MIDI	MIDI A (IN/OUT) , MIDI B (IN/OUT)
AUX IN	L/L+R, R
LINE OUT	MAIN (L/L+R, R) , SUB (1, 2) , SUB (3, 4 / AUX OUT)
DIGITAL OUT	YES (coassiale)
USB TO DEVICE	YES
USB TO HOST	YES X 3

LAN	YES Standards: IEEE802.11b/g/n (IEEE802.11n 5GHz: not compatible)
DISPLAY OUT	YES - CON ADATTATORE USB